

Vaccinatiegraad behouden en versterken



In de komende 10 minuten:



Reculer pour
mieux sauter.....

Vaccinatieweerstand is er altijd geweest.....



Ervaring

Vertrouwen

Informatie

Zorgen over vaccinaties



Omission
bias

Survivorship
bias

Dunning
Kruger effect



Gesprekken in de spreekkamers JGZ

Publiekscommunicatie

Dialogoog in de samenleving



Toekomstmuziek?



BEDANKT voor uw aandacht

EXTRA SLIDES

Vier soorten bestanddelen in vaccins:



Vier soorten bestanddelen in vaccins:

Aluminium

Formaldehyde






*De dosis maakt
het vergif*


Aluminium



Formaldehyde



Thiomersal



Monitoring Werkzaamheid en veiligheid

Topics

Here is a list of topics covered in our committee meetings.

- Adjuvants
- AEFI
- BCG vaccines
- Bell's Palsy following intranasal vaccination
- Dengue vaccines
- Diphtheria, tetanus and pertussis vaccines
- Ebola virus vaccines
- GACVS' Anniversary
- Global Vaccine Safety Blueprint
- Hepatitis A
- Hepatitis B vaccines
- Hepatitis E vaccines
- Hexavalent vaccines
- Human papillomavirus vaccines
- Immune overload
- Influenza vaccines
- Japanese encephalitis vaccines
- Malaria vaccines
- Measles vaccines
- Menactra meningococcal vaccine and Guillain-Barré Syndrome
- Meningococcal A conjugate vaccine
- MMR vaccines and autism
- Mumps vaccines
- Pentavalent vaccine
- Pharmacovigilance
- Pneumococcal vaccines
- Poliovirus vaccines
- Pregnancy and lactation
- Residual cellular DNA in vaccines
- Rotavirus vaccines
- Smallpox vaccines
- Thiomersal and vaccines
- Transmissible spongiform encephalopathies
- Varicella Zoster virus
- Vaccinating adolescents and young adults
- Vaccine formulations
- Vaccines produced on yeast
- Vaccine Safety Information
- Yellow fever vaccines



World Health
Organization

Global Vaccine Safety

Vaccine Safety Net

Bijwerkingen



Bijwerkingen



Geen verband aangetoond:



“Dat kan toch geen toeval zijn?”



“Dat kan toch geen toeval zijn?”

Fase 1	Inenting 1	Inenting 2
 6 - 9 weken	DKTP Hib HepB	Pneu
 3 maanden	DKTP Hib HepB	
 4 maanden	DKTP Hib HepB	Pneu
 11 maanden	DKTP Hib HepB	Pneu
 14 maanden	BMR	MenC

Wanneer is een verband aannemelijk?